



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/181,151	10/28/1998	ALISTAIR R. HAMILTON	7833	9551

26890 7590 06/17/2003

JAMES M. STOVER
NCR CORPORATION
1700 SOUTH PATTERSON BLVD, WHQ4
DAYTON, OH 45479

EXAMINER

RAMAKRISHNAIAH, MELUR

ART UNIT PAPER NUMBER

2643

DATE MAILED: 06/17/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 2643

1. Application No.: 09/181,151

Art Unit: 2643

The reply brief filed on 6-11-2002 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melur Ramakrishnaiah whose telephone number is (703) 305-1461. The examiner can normally be reached on Monday to Friday from 7 AM to 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz, can be reached on (703) 305-4708. The fax phone number for this Group is (703) 305-9508.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-3900.

3. **Any response to this action should be mailed to:**

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

Application/Control Number: 09/181,151

Page 3

Art Unit: 2643

(703) 308-6306, (for formal communications intended for entry)

Or:

(703) 305-9508 (for informal or draft communications, please label

"PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive,
Arlington. VA., Sixth Floor (Receptionist).


Melur. Ramakrishnarah

PRIMARY EXAMINER

Art Unit 2643.